

## 7000-102 | 油污分离器



### 产品概述: 7000-102 | 油污分离器

The 7000-102 can be used with any calibrator, including Ruska's Model 7010 and complete line of Series 7215 Digital Pressure Controllers. It can assist with minimizing the possibility of contamination of the unique Ruska quartz sensor found in these instruments along with the control valves and solenoid valves, all of which are designed for pneumatic operation and can be damaged when exposed to liquids.

The 7000-102 is also compatible with Druck's line of pressure controllers including the DPI 515 and DPI 520 Digital Pressure Calibrators.

Further, the 7000-102 can be used with virtually any test or calibration system where the pressure does not exceed 3000 psi.

A convenient drain valve allows periodic removal of accumulated liquids. Due to the pressure range, the level inside

the Trap can not be observed. Therefore it is recommended that the drain valve be opened on a frequent basis or prior to each test. A fitting is provided on the drain valve to allow connection to tubing that can run to a container for disposal.

The 7000-102 Liquid Trap is provided with a bench mount stand with two mounting holes for a sturdy installation.

## 产品规格: 7000-102 | 油污分离器

## 型号



7000-102

油污分离器



Fluke. 让您的工作畅通无阻。

福祿克測試儀器（上海）有限公司 電話：400-810-3435 ©2025 福祿克公司  
07/2025  
北京福祿克世祿儀器維修和服務有限公司 電  
話：400-615-1563 未經許可，本文檔禁止修改  
福祿克測試儀器（上海）有限公司上海維修中心 電  
話：021-54402301, 021-54401908分機269  
福祿克測試儀器（上海）有限公司深圳第一特約維修點  
電話：0755-86337229