

FTP 和 FTPL SureGrip™保险型测试探头和套件



主要特性

- Built-in fuses for additional measurement protection
- Probes allow indication of live voltage even with blown fuse, helping to prevent the user from thinking no voltage is present
- 2 mm threaded probe tips include removable 4 mm lantern-style spring contacts and removable GS38 insulated IC caps for probing closely spaced leads
- Operating temperature – 20°C to 50°C (-5°F to 120°F)
- CAT III 1000 V, CAT IV 600 V, 10 A rating

产品概述: FTP 和 FTPL SureGrip™保险型测试探头和套件

为了响应新的ESA规范，福禄克引入了带有内置保险丝的测试探头来进行额外的测量保护。而且，如果探针熔断器确实熔断，这些探针仍然允许仪表指示带电电压，这有助于防止可能出现的对没有电压的误读。新的模块化FTP探头可以安装到任何侥幸模块化的引线格式。额定到CAT III 1000 V，这些探头还具有可拆卸的护套保证额外安全。

产品规格: FTP 和 FTPL SureGrip™保险型测试探头和套件

型号



Fluke FTP

FTP 和 FTPL SureGrip™保险型测试探头和套件

Fluke. 让您的工作畅通无阻。

福禄克测试仪器（上海）有限公司 电话：400-810-3435 ©2025 福禄克公司
06/2025

北京福禄克世禄仪器维修和服务有限公司 电
话：400-615-1563

未经许可，本文档禁止修改

福禄克测试仪器（上海）有限公司上海维修中心 电
话：021-54402301, 021-54401908分机269

福禄克测试仪器（上海）有限公司深圳第一特约维修点
电话：0755-86337229